

#### MICHIGAN LOCATION:

13870 Cavaliere Drive Shelby Township, MI 48315 586-803-3163 2041 Clay Street Henderson, KY 42420

**KENTUCKY LOCATION:** 

270-888-7001

Hours Monday-Friday : 8am-5pm EST

PRICES EXPIRE APRIL 30, 2024



# Order Online @ www.nextind.com



#### **Hand Towel Features**

- · Easy to load and maintain for ease of use
- Hand towels suitable for basic needs
- Long-lasting rolls minimize maintenance costs while maximizing service.

#### Dispenser 86ECO Features

- 10" Diameter hand towel roll
- Takes (4) D Batteries (Not Included)

#### Dispenser 84TR Features

 Hold 1,000' of the 8" diameter hard-wound roll towels





Color	Length	Ply	Rolls Per Case	Order No.	Sale Price/cs
Natural	800'	1	6	13261-RK8002	\$35.70
White	800'	1	6	13261-RB8002	\$42.60

Color	Style	Order No.	Sale Price Dispenser Only	Price with Purchase Hand Towels*
Smoke	Electronic	13261-86ECO	\$97.95	FREE with Purchase of 6 Cases of Universal Hand Towel Rolls
Smoke	Lever Auto Transfer	13261-84TR	\$76.95	FREE with Purchase of 6 Cases of Universal Hand Towel Rolls

<sup>\*</sup> Dispensers free with qualifying purchase.

## ORK Advanced PeakServe™ Continuous Hand Towel

- 12 Individual bags per case
- Poly bag wrapped
- Compressed hand towels for increased capacity, reducing maintenance time required
- Continuous hand towels dispense smoothly, even between bundles, for a better restroom flow with no hold ups for guests
- Singular dispensing for reduced consumption and increased hygiene

Color	Packs Per Case	Order No.	Sale Price/cs
White	12	13261-105065	\$64.95

#### Dispensers for Advanced PeakServe™ Hand Towels\*

- Holds 250% more hand towels, preventing unexpected run outs – compared to Tork Universal refills ad Tork Xpress® multi-fold hand towel dispensers
- Towels served in 3 seconds
- System capacity of over 2,100 towels per dispenser



Dispensers FREE with PeakServe

Hand Towels. See Below




FREE with Purchase of 2 Cases of PeakServe™ Hand Towels

## TORK Universal Xpressnap® White Napkins

Tork Advanced Xpressnap® Napkin Dispensers are perfect for quick serve restaurants. The system will help you reduce your napkin consumption by 25% compared to traditional napkin dispensers. Tork Xpressnap® White Dispenser Napkins 1ply are ideal for high-traffic establishments that care about cost in use.

- Engage with guests through custom print 75% of napkin users read the message
- Larger (when unfolded) napkin perfect for any meal occasion





#### Dispensers for Universal Xpressnap® Napkins\*

#### 6332000 - Stand

Color

White

- Holds 1,000 napkins
- AD-A-Glance® customizable display window
- One-at-a-time dispensing
- Wall mount feature

#### 6232100 - Tabletop

- Holds 250 napkins
- AD-A-Glance® customizable display window
- Singular dispensing for reduced consumption and increased hygiene
- Fully covered dispenser

Color	Style	Order No.
Smoke	Stand	13261-6332000

Stand 13261-6332000 FREE with Purchase of 6 Cases of Universal Xpressnap Napkins

6332000

FREE with Purchase of 2 Cases of Universal Xpressnap Napkins

\* Dispensers free with qualifying purchase.

Tabletop

# TORK Cleaning Cloths

Tork Cleaning Cloth is a soft and flexible multipurpose cleaning cloth that is suitable for janitorial and industrial use. This non-woven is reusable and a good replacement for rental shop towels and rags. It comes in our portable self-dispensing pop-up box, which protects the wipers and allows you to easily transport the wipers to the work site.

13261-6232100

- Unfolded towel Length 16.1", Width 8.3"
- Single ply

Smoke

- 100 Towels per box
- 1.6 lbs.





Sale Price/cs \$81.55

## REELCRAFT

### 5650 OLP - 3/8" x 50' Premium Duty Hose Reel

Series 5005 reels are durable and compact for a wide range of applications with critical space requirements.

- Hose is plumbed into the base to eliminate the risk of undue stress on the swivel
- The bent tube swivel design offers a smooth hose transition onto the spool
- Swivel is nested inside the spool for protection from impact and the environment
- The reliable speed latch allows for positive locking of the spool in two positions per rotation.
- All steel components are powder coated for maximum corrosion resistance
- · Robotically welded steel base offers maximum strength and consistent quality
- · Made in the USA

Order No.

Sale Price

11519-5650-OLP

\$324.95

## REELCRAFT

### L 4545 123 3A – 12/3 45' Premium Duty Single Receptacle Power Cord Reel

Reelcraft's Series L 4000 NEMA 5-20R single receptacle power cord reel includes a 20 amp single receptacle. The reel is supplied with a 4-5 foot pigtail that includes a NEMA 5-20P inlet straight blade plug. For indoor, non-weather tight applications only. \*UL/CSA approved\*

- Reinforced steel The robotically welded steel base offers maximum strength and consistent quality.
- Heavy-duty collector ring A robust collector ring assures maximum conductivity current flow.
- Long life drive spring Declutching arbor virtually eliminates possibility of spring damage due to reverse winding. Only the highest quality spring steel is used and conditioned to ensure there are no imperfections offering maximum service life.
- Quality finish and corrosion resistant Individually powder coated components offer maximum protection from premature corrosion.
- Made in USA

Order No.

Sale Price

11519-L-4545-123-3A

\$498.95

## **IXENNEDY** 29", 7-Drawer Roller Cabinet

- 29" 7-Drawer K2000 Industrial Roller Cabinet
- High Security Tubular Locking System
- Ball-bearing drawer slides hold up to 120 lbs per drawer
- 5 x 2" roller bearing casters hold up to 350 lbs ea
- Tubular steel end handle
- Double wall construction
- Ships LTL Palletized Freight Carrier

 Color
 Order No.

 Red
 14262-297XR



## **ENNEDY** 20", 7-Drawer Machinist Chest

- 20" 7-Drawer Machinists' Chest
- Drawers and top till wool felt-lined
- Security Panel
- · Vinyl Cushioned, Steel Core Top Handle
- 5 Adjustable Drawer Dividers
- Two-piece Welded Friction Drawer Slides
- Hold Up to 60 lbs per drawer

Color

Brown





## REELCRAFT

## RT650-OLP - 3/8" x 50' Medium Duty Hose Reel

Reelcraft's Series RT is an economical choice for a medium duty, lighter-weight, spring retractable hose reel for applications that are less demanding, yet require a product that can withstand industrial and commercial use. The industrial-grade drive spring is protected from the environment in an engineered plastic spool for longer service life. The guide arm adjusts' to seven positions.

- Reinforced steel The steel guide arm and base are stamped with ribs and gussets to ensure maximum strength and lightest possible weight.
- Full flow stress free swivel design The full flow swivel combines the highest grade seal design and materials with bearing areas to ensure maximum service life. The hose is plumbed into the base to eliminate the risk of undue stress on the swivel.
- Quality finish and corrosion resistant Individually powder coated components along
  with the composite spool offers the maximum protection from premature corrosion.

Order No. Sale Price 11519-RT650-OLP \$275.95

## REELCRAFT

### 7850 OLP – 1/2" x 50' Premium Duty Hose Reel

The Reelcraft Series 7000 spring retractable hose reel is very robust and ideal for the most demanding applications. The base and guide arm are constructed from high-grade steel and engineered with structural forms and gussets to yield the greatest amount of strength.

Individually powder-coated steel components provide maximum protection from premature corrosion

- Inlet hose is plumbed into the base to eliminate the risk of stress on the swivel
- $\bullet$  Low-pressure 1/2 in. x 50 ft. PVC hose included; hose is for air or water service only
- Guide arm adjusts to seven positions
- Base plate, upright, and guide arm are constructed from 11 gauge steel; the spool is 16 gauge steel
- Additional Series 7000 spring retractable hose reel models include stainless steel, controlled return, enclosed, twin hydraulic, fuel delivery, pressure wash, and gas/ cable welding
- Made in the USA

Order No. Sale Price 11519-7850-OLP \$495.95

## **KENNEDY** 39", 15-Drawer Roller Cabinets

- 39" 15-Drawer K1800 Industrial Roller Cabinet
- Two keyed alike tubular locks
- Ball-bearing drawer slides hold up to 120 lbs per drawer
- 5 x 2" sintered bearing casters
- Full-width drawer pulls
- Tubular side handle
- Ships LTL Palletized Freight Carrier

LIL Palletized F	reight Carrier		. •
Color	Order No.	Sale Price	
Black	14262-315XBK	\$1,849.95	
Red	14262-315XR	\$1,849.95	

# **IXENNEDY** 26", 11-Drawer Machinist Chest

- 11-Drawer 26" Machinists' Chest
- Drop front panel adds security.
- Heavy duty steel plated side handles
- 6 Adjustable Drawer Dividers
- Wool felt-lined drawers and top till (Handbook drawer is not felt lined)
- High Security Tubular Locking System
- Two-piece Welded Friction Drawer Slides
- Hold Up to 60 lbs per drawer

Color	Order No.	Sale Price
Brown	14262-52611B	\$649.95

**WE IEMPER** Snow Pushers and Shovels

18" Poly Combo Snow Shovel (1627200): This shovel blade is lightweight and ideal for both shoveling and pushing snow. Its steel wear strip extends the life of the blade and helps remove stubborn patches of snow and ice.

24" Poly Snow Pusher (1603500): This pusher is ideal for clearing light to medium accumulations of snow. It is designed for easy use and fast snow removal. Clear driveways and walkways in just a few passes!

36" Industrial Grade Snow Pusher (1663600): The plow shape of the blade helps you push away both snow and slush from wide areas. The blade is made from UHMW Nylon, a material that is long-lasting and wear resistant to withstand the demands of heavy snow removal. Versa Grip, an ergonomically designed grip that accommodates multiple hand positions for pushing, scooping and unloading piles of snow. In addition to the Versa Grip, your hands are also secured with the anti-slip grip provided by the TPE resin-covered steel handle.

> **UPS** dimensional weight shipping rates apply

Blade Length	Blade Width	Blade Material	Handle Length	Handle Material
13-1/2"	18"	Plastic	34-1/2"	Steel
11-3/8"	24-1/2"	Plastic	38.3"	Steel
8-1/2"	36"	Nylon	48"	Steel




Handle Type	Overall Length	Order No.	Sale Price
D-Grip	49-1/2"	16936-1627200	\$19.95
D-Grip	54-3/4"	16936-1603500	\$22.50
Versa Grip®	56-1/2"	16936-1663600	\$71.95

### Universal Tool Composite Impact Wrenches

- Refined twin hammer design with bias motor delivers 1,190 ft./lbs. of loosening torque on Model UT8165R (1/2" Drive)
- · Low weight composite housing with over molded ergonomic grip for comfort
- Push button forward reverse for instant change of direction
- Ring retainer uses "R" suffix
- Features similar for 3/8" drive excluding torque values
- 5/8" Recommended hose size

Model	Drive	Max. Torque ft/lbs	Retainer Type	Order No.	Sale Price
UT8065R	3/8"	500	Ring	14353-UT8065R	\$239.50
UT8165R	1/2"	800	Ring	14353-UT8165R	\$299.95



Included: Slotted 0.8 x 4.0 x 75mm Slotted 1.0 x 6.0 x 100mm

Phillips #1 x 80mm Phillips #2 x 100mm Magnetic Bit Holder



Order No. 11006-16758-02308 Sale Price \$10.95

## FLARIDA FPX-300 1/4" Straight Die Grinder

- · Polished aluminum housing
- · Safety Lock-off lever prevents accidental start ups
- Noise level @ 94 dBA
- Precision collet for secure tool holding
- Rear exhaust

Style	Order No.
Straight	11741-FPX-300



## FLARIDA FPX-100 1/4" Angle Head Die Grinder

- · Compact angle head design to get into tight spaces
- · Safety lock off lever prevents accidental start ups
- · Polished aluminum housing
- · Noise level @ 89 dBA
- · Precision collet for secure tool holding
- · Rear exhaust

Style	Order No.
Angle Head	11741-FPX-100



## metabo Abrasive Wheels

- · Aluminum oxide general purpose wheels for heavier working conditions for steel and other ferrous metals
- · Very fast rate of cut
- · Good wheel life
- · Flexibility for flush cutting

Size	Style	Rated For	Order No.	Sale Price
6" x .040 x 7/8"	Type 1	10,200 RPM	12116-655339000	\$1.75
6 x .045 x 7/8"	Type 27	10,200 RPM	12116-655347000	\$1.85
6 x 1/4 x 7/8"	Type 27	10,500 RPM	12116-US616554000	\$3.95

#### **Outdoor Extension Cords with Lighted End**

- SJTW Style
- Single Receptacle
- Remains flexible to -40°F
- · cULus Approval




Length	Type	Amps	Watts	Color	Order No.	Sale Price
50'	14/3	15	1875	Orange	18179-05-00342	\$33.95
100'	14/3	13	1560	Orange	18179-05-00343	\$62.50
50'	12/3	15	1875	Yellow	18179-05-00365	\$43.25
100'	12/3	15	1875	Yellow	18179-05-00366	\$81.50

## metabo Electronic 6" Angle Grinders

- Max wheel diameter 6"
- 13.5 amps
- AC only
- No-load rpm 9,600
- Standard Equipment:
- Type 27 guard
- Quick clip on type 1 cutting guard
- Side handle
- Inner flange
- · Locking nut







- · Features flood and spot modes with a slide feature that provides a smooth transition from flood to spot
- Flood: 250 lumens; Spot: 220 lumens
- Dual fuel uses "AA" alkaline or lithium batteries



Run Time 6 Hrs.

Beam Distance 150 Meters

Length Weight 6-1/2" 4.4 oz.

12183-71701

\$35.95

# STREAMLIGHT Stylus Pro® Penlight

- · White LED delivers 100 lumens, with 62 meter beam
- Push button tail switch momentary or constant on operation
- Includes (2) "AAA" alkaline batteries and tear resistant nylon
- · Low battery indicator flashlight strobes when fresh batteries are needed
- IPX4 water resistant; 3meter impact resistance tested
- Comes with a convenient pocket clip to ensure it stays in place

Color	Order No.	Sale Price
Black	12183-66118	\$22.95
Red	12183-66120	\$22.95
Silver	12183-66121	\$22.95
Blue	12183-66122	\$22.95



### STREMUGHT Strion® LED Flashlight

A powerful value that's perfect for the broadest range of lighting needs. IPX4 rated for water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation

- Lumens 375 (high) 175 (medium) 80 (low)
- Distance 219 meters (high) 161 meters (medium) 113 meters (low)
- Run Time 2.5 hours (high) 4.7 hours (medium) 9.5 hours (low)

Order No. 12183-74301



## Mituto//O SJ-210 Surftest Portable Surface Roughness Tester

- Up to 10 measurement conditions and one measured profile can be stored in the internal memory
- · Optional Memory Card An optional memory card can be used as an extended memory to store large quantities of measured profiles and conditions
- · Color graphic LCD intuitive display that's clear, sharp, and legible
- · Large 2.4 inch LCD provides for excellent readability
- Backlight the backlight improves visibility in dark conditions
- · High Speed USB Communication data can be transferred to and from a computer via the high speed USB interface

Order No. 11967-178-561-02A

Sale Price \$2,195.50



## STREMLIGHT PROTAC® 2L-X

The ProTac 2L-X is a multi-fuel tactical light that comes in 2 versions. The ProTac 2L-X USB is a rechargeable system that uses a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. The ProTac 2L-X includes 2 CR123A lithium batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.

• IPX7 waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

> Sale Price Length Weight Order No. 12183-88062 5.14" 3.9 07 \$56.50

## STREMUGHT Knucklehead® Multi-**Purpose Articulating Head Flashlight**

Designed to put light where you need it, the Knucklehead is the most versatile light you'll ever own. Smooth flood light illuminates work area and magnet allows for hands-free use.

- Rubber on/off button is easy to operate when wearing heavy gloves
- Features a 210 degree articulating head that rotates 360°
- Removable magnet with 135 lb pull strength features a replaceable rubber boot and provides for hands-free lighting
- Dual LEDs within a wide parabolic reflector produce a smooth flood pattern
- · High-impact, super-tough nylon polymer construction for exceptional durability
- IPX4 rated for water-resistance; 2m impact-resistance tested
- · Serialized for positive identification

Order No. 12183-90644 Sale Price \$101.95

STREMUIGHT 4AA Propolymer® LED Flashlight

Its soft, diffused light is perfect for up close work, and with 155 hrs. of run time, this safety-rated light is always ready. Contains seven ultra-bright LEDs. IP65 rated, waterproof, dust-resistant. Unbreakable, scratch-resistant lens.

Lenath Weight

67 6307

Sale Price Order No. 12183-68301 \$29.50

# 🚺 Electronic Outside Micrometers

#### 293-330-30 Features:

- Inch/Metric measurement
- Solid Carbide faces
- Satin chrome finish
- Ratchet Stop
- Certificate of inspection
- Plastic case

#### 293-340-30 Features:

- Inch/Metric measurement
- Solid Carbide faces
- · Satin chrome finish
- Non-rotating spindle
- · Certificate of inspection
- · Plastic case



Max. Measurement Accuracy Resolution Rating Graduation Order No. Sale Price 0.0005" 0.0005" 0.0001" IP65 11967-293-330-30 1" Non-SPC 0.0005" 0.0005" 0.0001" IP65 11967-293-340-30

# O 0-6" Digital Caliper

- · Inch/Metric measurement
- Stainless steel caliper and jaw material
- · Includes depth measurement rod
- Satin chrome finish
- · Includes plastic case
- No SPC Output

Accuracy Resolution 0.001 0.0005

Display LCD

Range 0-6'

00320

Graduation 0.0005"

Order No. 11967-500-196-30 Sale Price \$144.50

## Mitutoyo Manual Vision Measuring Machine with Motorized Z-Axis QS-L/AFC

#### Package Included

- QS-L2010/AFC (Auto-Focus Type GENC)
- AC Cord Set
- Monitor, Dell 22" Widescreen

#### Features

- XYZ measurement
- 0.1µm resolution glass scales
- Motorized Z for fast automatic focus
- Quick release stage movement for easy traversing over large area
- · USB color camera
- Optical zoom system 8:1
- Full FOV measurement

- QSPAK V 12.1 Software
- T5820 CPU, 64 Bit, Windows 10, 1 TB SSD, 16 GB Ram
- Triple source lighting is standard Stage, ring, coaxial
- Five stage sizes up to 16" x 8" with 6" Z measurement
- Fully programmable zoom and lighting
- · Real time editing
- SPC data macros and export included
- Installation and calibration by Mitutoyo Field Service
- Software Training



Order No.		11967-359-713-10PK	11967-359-714-10PK	11967-359-715-10PK	
Sale Price		\$31,248.00	\$36,921.00	\$42,036.00	
Model No.		QS-L2010Z/AFC	QS-L3017Z/AFC	QS-L4020Z/AFC	
Drive Method		X/	Y Axes: Manual Z-Axis: CNC with Auto Fo	ocus	
Measuring Volume		8x4x6" (200x100x150mm)	12x6.7x6" (300x170x150mm)	16x8x6" (400x200x150mm)	
Resolution/Scale Type			0.1 µm/ Linear Encoder		
A +4+2	X-Axis, Y-Axis		(2.2+0.02L) µm		
Accuracy *1*2 Z-Axis		(4.5+0.006L) μm			
Accuracy Guaranteed Te	mperature Range	20± 1°C			
Observation Unit *3		7X Zoom (8 Steps) Interchangeable objective lenses (1X objective 0.5X-3.5X, 1.5X objective 0.75X-5.25X, 2X objective 1X-7X)  3 Megapixel, CMOS Color Camera			
Image Sensor					
	Transmitted Light		White LED		
Illumination	Co-Axial Light	White LED			
Ring Light		4-Quadrant Ring Light (LED)			
Dimensions (Main Unit, WxDxH)		24.5x28x29" (624x711x729mm)	27x34x33" (692x857x837mm)	30x34x33" (757x867x837mm)	
Stage Glass Size		10x6" (250x150mm)	14.5x9" (370x240mm)	18x9" (450x240mm)	
Maximum Stage Loading		22 lbs. (10kg) 44 lbs. (20kg) 33 lbs.		33 lbs. (15kg)	
Mass (Main Unit)		154 lbs. (70kg) 353 lbs. (60kg) 368 lbs. (1			

<sup>\*1:</sup> Inspected to Mitutoyo standard L = measuring length (mm)

# Mitutoyo Horizontal Profile Projector

Model No. PH-3515

Profile Projector and 2D Processor Packages

Heavy-Duty, Bench-Top Model with Horizontal Optical System featuring touch screen M2 Geometric Measuring Display

- 14" screen, Horizontal Projector
- 10" x 6" Travel T Slot table for accessories
- Linear Glass Scales for accurate measurement
- Profile and Fiber Optic Surface Illumination
- Digital built-in angle counter
- Maximum Load 45 kg / 100lb

#### Stand Out Accessories

- KA Counter Digital Readout
- QM Geometric 2D Measurement Software/Hardware
- M2 Geometric 2D Measurement Software
- Easy to use, all-in-one PC Touch Screen
- Automatic Edge Detection

axillalli Loda 45 kg / 1001b	Automatic Lage Detection			
• Includes installa	Includes installation & A2LA Accredited Calibration			
Description	Order No.	Sale Price		
PH-3515F Profile Projector with KA counter & Tray	11967-64PKA089B	\$11,795.00		
PH-3515F Profile Projector with QM Data & Arm Mount	11967-64PKA088A	\$13,695.00		
PH-3515 Profile Projector with Touchscreen PC & M2 Software/Hardware	11967-64PKA166	\$14,995.00		
PH-3515 Profile Projector with Optical Edge Detection, Touchscreen PC & M2 Software/Hardware	11967-64PKA165	\$15,875.00		
PH-3515 Stand (optional)	11967-64AAB176	\$692.00		



<sup>\*2: 3</sup>X Lens magnification or greater

<sup>\*3: 1</sup>X and 2X objective lenses are optional

## hnson Kresto® KWIK-WIPES® PROFESSIONAL Heavy Duty Hand Cleaning Wipes

For use without water at the work station and for mobile workers to remove oil, grease and general grime.

- · Tough, extra large wipes
- · Handy, easy-to-use tub can be used at the work-point for quick cleaning, or on-the-move when working remotely and normal hand washing facilities are not conveniently available
- · Contains skin conditioner to help prevent drying, leaving the skin feeling smooth after use
- · Citrus fragrance makes the product pleasant to use and leave the skin smelling fresh

Size	Case Qty.	Order No.	
70 Wipes	6	12451-KKW70W	



\$16.50

## **ONNSON** KRESTO® CHERRY WIPES ROFESSIONAL Super-Heavy Duty Hand Cleaning Wipes

For use without water at the work station and for mobile workers to remove oil, grease, paints, sealants, resins and general grime.

- Tough, extra large special wipe made from polypropylene with a slight roughened surface
- · Pleasant cherry fragrance helps neutralize petroleum odor to leave hands smelling fresh and clean
- · Contains skin conditioner to help prevent drying, leaving the skin feeling smooth after use

Size	Case Qty.	Order No.	Sale Price
70 Wipes	6	12451-KCW70W	\$17.95



#### REFRESH™ AZURE FOAM

Signature Fragrance Fresh Apple Foam Handwash

For use in washroom areas in offices and public facilities.

- · A Fresh Apple fragrance with caring, pleasantly fresh and clean notes to elevate the restroom experience for every day use. Proven to have broad appeal amongst washroom users
- Mild Formulation: Dermatologist tested to verify and confirm this product does not elicit dermal irritation

iust ruicilase ruii	case Gry.	of (2) Cases of Refresh®		
Size	Packs Per Case	Order No.	Sale Price	
Liter Cartridge	6	12451-AZU1L	\$10.50/pc	
Liter Dispenser	1	12451-WRM1LDS	FRFF	



1 1

## BETCO Deep Blue Glass & **Surface Cleaner**

- · Convenient and easy to use
- Dissolves smoke, grease and smudge marks
- · Fortified with ammonia for powerful cleaning
- · Cleans and brightens most hard surfaces · Must Purchase Full Case Qty.

Size	Case Qty.	Order No.	Sale Price
19 oz. Aerosol*	12	12524-0902300	\$4.25/pc
32 oz. Trigger Bottle	12	12524-1081200	\$3.75/pc

1 Gallon Bottle 12524-1080400 \$12.95/pc \*Aerosol DOES NOT Ship Air



- Neutral pH No harsh alkali to attack floor finish
- Simple to Use Cleans, deodorizes and disinfects in one easy operation
- Lasting fragrance leaves a pleasant pine fragrance
- · Must Purchase Full Case Qty.

DILUTION: (1:32) - 4 ounces per gallon of water

Kills SARS-CoV-2 virus on hard non-porous surfaces in one minute.

Size	Case Qty.	Order No.	Sale Price
1 Gallon	4	12524-3040400	\$18.95/pc



CBETCO

• Must Purchase Full Case Qty.

Ohnson SOLOPOL® GFX™ PROFESSIONAL HEAVY DUTY FOAM Cleaner With Grit

For use in industrial environments to effectively remove heavy soiling such as oil, grease, carbon black, lubricants and general dirt and grime


- The world's only heavy-duty Power Foam hand cleaner with grit
- Provides up to 42% more hand washes per liter compared to traditional heavy duty hand cleaners
- Contains cornmeal and olive pit scrubbing agents
- Foam lather spreads rapidly and easily to emulsify the dirt and grime for thorough and efficient cleaning
- Transforms heavy duty hand cleaning liquid into five times its volume, creating a rich-cream foam



Size	Case Qty.	Order No.	Sale Price
3.25 Liter Cartridge	2	12451-GPF3LNA	\$39.50/pc
3.25 Liter Dispenser	1	12451-GPF3LDQ	FREE

# Ohnson SOLOPOL® CLASSIC PROFESSIONAL Heavy Duty Hand Cleaner

For use in industrial environments to effectively remove heavy soiling. · Solvent-free hand cleaner with natural scrubbing agents to remove



Specially formulated with one of the mildest preservatives to reduce the risk of skin irritation from using this product

Must Purchase Full Case Qtv

Size	Case Qty.	Order No.	Sale Price
4 Liter Cartridge	4	12451-SOL4LTR	\$36.50/pc
4 Liter Dispenser	1	12451-HVY4LDB	FREE



## REFRESH™ ANTIBAC FOAM

NSON Signature Citrus Fragrance Antimicrobial

For use in washrooms where a higher level of hand hygiene is required.

- Citrus fragrance with caring, pleasantly fresh and clean notes to elevate the restroom experience for every day use. Proven to have broad appeal amongst washroom users
- Dermatologist tested to verify and confirm this product does not elicit dermal irritation
- Specially formulated with one of the mildest preservatives
- to reduce the risk of skin irritation from using this product

riase raremase rain of	ase acy.			
Size	Case Qty.	Order No.	Sale Price	
1 Liter Cartridge	6	12451-ANT1L	\$11.60/pc	
1 Liter Dispenser	1	12451-WRM1LDS	FREE	



## BETCO Pull® Heavy Duty Toilet **Bowl Cleaner**

This 23% hydrochloric acid toilet bowl cleaner was carefully formulated with added detergents, to ensure it will work quickly and remove even the most stubborn rust, scale and mineral deposits. Ideal for hard water areas. It cleans and descales in one easy step.

- · 23% hydrochloric acid to remove rust
- Cleans and descales
- · Formulated for restorative cleaning
- Must Purchase Full Case Qty.

Size	Case Qty.	Order No.	Sale Price
32 oz.	12	12524-0711200	\$3.15/pc



enser FREE with Purchase

## Securefit™ 500 Series Anti-Fog Safety Glasses

- · Temple design features slotted ribs that provide comfortable pressure, allowing the temples to flex and self adjust to the size of the wearers head
- Sporty design with contemporary lens shape and sleek profile
- · 3M eye protection that meets the impact rated protector requirement of the ANSI-ISEA Z87.1-2020 standard

Order No. 11965-7100238910 Sale Price \$8.05





## RIDGID 535 Threading Machine

The new machine is as rugged as the machine you have come to rely on with added refinements that increase productivity and value. A 100% larger chip tray and 75% larger oil reservoir make the new 535 ideal for longer uninterrupted threading. The 535's high clearance carriage makes the threading operation easier and its 23% larger top cover area is ideal for keeping tools and work related materials handy.

• New Speed Chuck™with rocker-action jaws. Provides smoother operation and ability to center and grip the workpiece instantly.

#### Specifications:

- Motor: 1/2HP Universal, Reversible single-phase 115V, 25-60 Hz, 15 Amp
- Motor Control: Heavy-duty FOR/OFF/REV switch with integral foot switch
- Spindle Speed: 36RPM no load (standard

#### Standard Equipment:

- · Foot switch
- (1) No. 811A Universal Quick Opening Die Head
- (1) No. 341 Reamer
- (1) 820 Cutter
- (1) Set of 1/2"-3/4" and 1"-2" Allov Dies
- (1) Gallon of Premium Oil
- (1) Set of Hex Wrenches
- FOB Shipping Point

Order No. 13239-93287



\$7,258.60

## RIDGID Universal Wheel & Tray Stand

- . 96 lbs
- Lifetime Warranty
- FOB Shipping Point

Order No. 13239-92467

Sale Price \$1,394.50



# RIDGID RP 240 Press Tool Low Profile Design/Lightweight & Balanced

- Ergonomic Forward positioned handle for stability
- Smart Bluetooth connectivity and advanced color coded light indicators for simple operation
- Agile 180° head swivel for reaching tight spaces
- Persistent Completes up to 140 presses per charge
- 12V Advanced lithium 2.5Ah battery
- · Weight: Only 4.9 lbs
- Crimp Cycle: 4 Seconds
- Lighting: Large LED light for no or low light environments
- Capacity: Copper and stainless steel tubing 1/2" 1 1/4"
- Black and Stainless Steel Pipe Capacity: 1/2" 3/4"

Order No. 13239-57398

Sale Price \$2,475.50



## KURT DX6® Crossover® Vise



Combining all the great features of the world renowned Kurt D688 and 3600V vises, along with state of the art workholding features, Kurt® Workholding's revolutionary DX6® CrossOver® vise achieves new levels in precision and performance where flatness and parallelism are important.

By every measure, this is a better vise than their own D688. This vise features the  $\,$ same bed height and keyway to the stationary jaw face as the D688, a redesigned

nut with lighter weight, and a new brush seal design. The bearing pack is larger, stronger, and more durable than their other designs, and their Anglock® spherical segment creates all directional alignment and reduces jaw lift for improved performance.

> Order No. 10094-DX6



# MARKAL Paint-Riter® Oily Surface Liquid Paint Markers

Paint-Riter® Oily Surface is a liquid paint marker developed for superior marking performance on oily and greasy surfaces. The high performance paint penetrates through oils and greases to dry quickly and leave a bold, permanent mark that is

Color	Order No.	Sale Price
White	10722-096960	\$2.75
Yellow	10722-096961	\$2.75
Red	10722-096962	\$2.75
Black	10722-096963	\$2.75
Orange	10722-096964	\$2.75
Blue	10722-096965	\$2.75
Green	10722-096966	\$2.75
Silver	10722-096967	\$2.95

wear, weather and fade resistant.





## Dynafile® II

The Dynafile II has proven itself to be the tool of choice for shops in need of a versatile tool. The Dynafile II is designed for use with coated abrasives for material removal, non-woven nylon for blending, and even wool belts for fine polishing applications.

- 360° Pivot Belt Housing
- · Tactile Insulated Grip
- 1/4" 3/4" with Belts Use Coated and Non-Woven Nylon Belts
- Gearless Motor For Reduced Maintenance
- 3/8" Air Hose Recommended
- · Air Pressure of 90 PSIG or 6.2 Bar Recommended

Belt Power

dBA Air Inlet Weight Order No. Length (HP) (SFPM) 20 000 18" 4,550 78 1/4" NPT 2.5 lbs 11777-40320 \$669.95




## Mini-Dynafile® II

The Mini Dynafile® II is intended for use in applications with restricted access where the smallest and most lightweight tools are necessary to get the job done. At less than two pounds the Mini-Dynafile® II is lightweight and able to be maneuvered around complex workpieces that require finishing.

- · Swiveling Belt Guard for easy belt change
- 360° Pivot Belt Housing for accessing hard to reach areas
- Tactile Insulated Grip For Operator Comfort During Extended Use
- 1/8" to 1/2" with Belts Use Coated and Non-Woven Nylon Belts
- Brushless Motor For Reduced Maintenance
- 1/4" Air Hose Recommended
- · Air Pressure of 90 PSIG or 6.2 Bar Recommended

Max.

Belt Power



Length (HP) (SFPM)

Sale Price dBA Air Inlet Weight Order No. 1/4" NPT 1.8 lbs. 11777-15003 \$661.95 25,000 12"



## **Dynaswivel® Air Line Connectors**

Never Fight an Air Tool Again!

- Two pivot points that swivel 360° dropping air hose directly to floor
- · Improve tool maneuverability and minimize operator fatigue
- Composite non-marring construction
- 1/4" NPT Thread

Order No. 11777-94300 Sale Price \$19.95

## WEILER Crimped Wire Wheels with Arbor Hole

Crimped wire wheels with arbor holes are intended for use on straight grinders and stationary machines such as bench or pedestal grinders and buffing lathes. Featuring Weiler's solid ring construction.

Applications:

- Removing rust and light corrosion
- · Paint removal and surface cleaning
- · Decorative finishing
- · Removing heat discoloration
- Light Deburring
- Max RPM 6,000 RPM

Dia.	Wire Size	Arbor Hole	Face Width	Trim Length	Order No.	Sale Price
6"	0.006"	1/2-5/8"	3/4"	1-7/16"	11918-01035	\$49.25
6"	0.0104"	1/2-5/8"	3/4"	1-7/16"	11918-01055	\$21.50
8"	0.006"	5/8"	3/4"	2-1/16"	11918-01135	\$59.95
8"	0.0104"	5/8"	3/4"	2-1/16"	11918-01155	\$32.50

# **WEILER** Wolverine Flap Wheels

Wolverine flap wheels offer a high cut rate at a cost effective price. The smart option for use in medium production environments.

- · Internal diameter clearing
- · Polishing, blending & finishing
- Finishing metal surfaces
- Prepping surface for painting of plating
- Deburring machined parts
- Edge blending
- · Cleaning and reconditioning pipe threads

Dia.	Width	Grit	Max. RPM	Box Qty.	Order No.	Sale Price
1"	1"	60	30,000	10	11918-30720	\$1.68/pc
1"	1"	80	30,000	10	11918-30721	\$1.68/pc
2"	1"	60	25,000	10	11918-30723	\$2.35/pc
2"	1"	80	25,000	10	11918-30724	\$2.35/pc
2"	1"	120	25,000	10	11918-30725	\$2.35/pc
3"	1"	60	23,000	10	11918-30726	\$3.45/pc
3"	1"	80	23,000	10	11918-30727	\$3.45/pc

Sold in

Box Qtv.

WEILER Tiger® Zirc Resin Fiber Discs

A unique blend of self sharpening Zirconia Alumina and Ceramic Alumina grains deliver a fast cut rate. A superior design extends disc life by minimizing grain shedding and promotes cool grinding.



Dia.	Grit	Arbor Hole	Box Qty.	Order No.	Sale Price
4-1/2"	36	7/8"	25	11918-59732	\$1.10/pc
4-1/2"	60	7/8"	25	11918-59734	\$0.88/pc
4-1/2"	80	7/8"	25	11918-59735	\$0.83/pc
4-1/2"	120	7/8"	25	11918-59737	\$0.80/pc
5"	36	7/8"	25	11918-59702	\$1.25/pc
5"	60	7/8"	25	11918-59704	\$1.05/pc
5"	80	7/8"	25	11918-59705	\$0.97/pc
5"	120	7/8"	25	11918-59707	\$0.89/pc
7"	36	7/8"	25	11918-59712	\$2.35/pc
7"	60	7/8"	25	11918-59714	\$1.89/pc
7"	80	7/8"	25	11918-59715	\$1.75/pc
7"	120	7/8"	25	11918-59717	\$1.60/pc

## **SUPERIOR** Shur-Kut® Coated Abrasive Belts

#### **Aluminum Oxide Belts**

Dense, blocky grain well suited for general purpose grinding and stock removal. Airfile belts easily reach narrow areas inaccessible by discs or wheels. Durable use on ferrous, non-ferrous, stainless steels, alloys and non-metallics

- General stock removal and shaping
- Cylindrical shaping or conditioning
- Inside corner weld removal
- Deburring handheld parts



Size	Grit	Pack Qty.	Order No.	Sale Price
1/2 x 12"	60	50	11732-10678	\$0.90/pc
1/2 x 12"	80	50	11732-10679	\$0.90/pc
1/2 x 12"	120	50	11732-10681	\$0.90/pc
1/2 x 18"	60	200	11732-14387	\$0.90/pc
1/2 x 18"	80	200	11732-14388	\$0.90/pc
1/2 x 18"	120	200	11732-14390	\$0.90/pc
3/4 x 18"	40	50	11732-10692	\$0.95/pc
3/4 x 18"	60	50	11732-10694	\$0.95/pc
3/4 x 18"	80	50	11732-10695	\$0.95/pc
3/4 x 18"	120	50	11732-10697	\$0.95/pc

## IRWII

## The Original Locking C-Clamp

- Wide opening jaws provide greater versatility in clamping a variety of shapes
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high grade heat treated alloy steel for maximum toughness and durability
- Classic trigger release designed to provide maximum locking force

Description	Size	Capacity	Order No.	Sale Price
Regular Style				
6R Clamp	6"	2-1/8"	11548-17	\$12.75
11R Clamp	11"	3-3/8"	11548-19	\$21.35
18R Clamp	18"	8"	11548-21	\$31.25
Clamp with Swivel Pad				
6SP Clamp	6"	2-1/8"	11548-18	\$14.50
11SP Clamp	11"	3-3/8"	11548-20	\$22.95
18SP Clamp	18"	8"	11548-22	\$32.50

## IRWIN.

## **Locking Pliers**







Size	Jaw Capacity	Wire Cutter	Model No.	Order No.	Sale Price			
The Ori	The Original Straight Jaw Locking Pliers							
7"	1-5/16"	No	7R	11548-302L3	\$13.50			
10"	1-3/4"	No	10R	11548-102L3	\$13.95			
Curved	Curved Jaw Locking Pliers with Wire Cutter (Original Style)							
4"	1"	Yes	4WR	11548-1002L3	\$9.65			
7"	1-1/2"	Yes	7WR	11548-702L3	\$13.55			
10"	1-7/8"	Yes	10WR	11548-502L3	\$13.95			
Long No	Long Nose Locking Pliers with Wire Cutter (Original Style)							
4"	1-5/8"	Yes	4LN	11548-1602L3	\$10.95			
6"	2-1/4"	Yes	6LN	11548-1402L3	\$13.85			
9"	2-7/8"	Yes	9LN	11548-1502L3	\$16.95			



#### MICHIGAN LOCATION:

13870 Cavaliere Drive Shelby Township, MI 48315

586-803-3163

Connect with us



#### **KENTUCKY LOCATION:**

2041 Clay Street Henderson, KY 42420

270-888-7001

PRICES EXPIRE APRIL 30, 2024

