Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

		-		•			
Declaratio	on # C0917	'018a		Decl:	aration Date	9.19.17	7
Tested Item #	8209		6' Adjı	ustable We	b Restraint	Lanyard	
Additional	Items Conforming U	nder this Dec	laration:				
8207	82093	82098	S8209	820910	820912	820916	
820920	82095K						
		AN	SI Z359 .	3-2017	ce standard(s		
	Conformity Asse	essment Me	thod in acco	ordance with A	NSI/ISEA 125-	2014	
	Level 1	_	Level 2	X	Level 3		
Outsid	1: FallTech Lab le the Scope of andard 17025:2005	\	evel 2: FallTo Within the So EC Standard	cope of	ac	pendent 3rd Par credited to andard 17025:2	
upporting	PC-1288	3					
ocumentation	1			2			
Oocumentation	Authorized Sign	ature		Man	elo		

Exova 3883 East Eagle Drive Anaheim California USA 92807 T: +1 (714) 630-3003 F: +1 (714) 630-4443 E: sales@exova.com W: www.exova.com



Testing. Advising. Assuring.

September 25, 2017

FallTech Testing Laboratory 1306 S. Alameda Street Compton, CA 90221

Attention: Jay Sponholz

Quality Manager

Subject: Attestation of Witnessing Testing

Exova OCM Job # 371394-5
FallTech P.O.: OPEN
Report No.: PC-1288
Base Part No. 8209

Description: Adjustable Restraint Lanyards: Web, 4' to 6' with Snap

Hooks

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:

- Date of Testing:
 - September 14, 2017
- Exova OCM Test Witness:
 - 9/14/17 Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359. 3-2017 Sections: 4.2.2, 4.2.3, 4.2.5

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years



Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
				3998956	
		3998978			
				3998983	
		9/14/17 8209	Adjustable Restraint Lanyards: Web, 4' to 6' with Snap Hooks	3998974	
PC-1288	9/14/17			3998977	Pass
20 500 4005 500 500				3998975	
				3998971	
			3998973		
				3998970	

Test Witness Signature:	(Signed for and on behalf of /zxova-OCM)
Nolan Schatzle Technician Mechanical Laboratory	Call of the many
Approval Signature:	(Signed for and on behalf of Exova-OCM)
Victor Mendez Production Manager	1/1 to Minde

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.







1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

FallTech Test Report							
Test Report No.	PC-1288	Rpt. Date	9/19/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech	allTech					
Initiated By	Sara Martinez	Sara Martinez Test Specification(s) ANSI Z359.3-2017: 4.2.2, 4.2.3, 4.2.5					
Part No.	8206	8206			vision	Α	
Part Description	Adjustable Restraint	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks					
Test Request No.	PC-1288 Date Complete 9/14/2			9/14/2017			
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification				
Sample ID	Description			
3998956	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998978	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998983	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998974	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998977	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998975	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998971	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998973	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			
3998970	Adjustable Restraint Lanyard: Web, 4' to 6' with Snap Hooks			

Test Summary						
Test Specification	Test	Criteria	Test Result	Pass/Fail		
	Static Strength	≥ 1000 Lbf	1032.4 Lbf	Pass		
ANSI Z359.3-2017	Hold	≥ 1 Minute	1 Minute	Pass		
4.2.2	Slippage	≤ 3" Slippage	0.24"	Pass		
4.2.2	Static Strength	≥ 5000 Lbf	5035.4 Lbf	Pass		
	Hold	≥ 1 Minute	1 Minute	Pass		
	Static Strength	≥ 1000 Lbf	1025.6 Lbf	Pass		
ANGL 7250 2 2047	Hold	≥ 1 Minute	1 Minute	Pass		
ANSI Z359.3-2017 4.2.2	Slippage	≤ 3" Slippage	0.7"	Pass		
4.2.2	Static Strength	<u>></u> 5000 Lbf	5052.6 Lbf	Pass		
	Hold	≥ 1 Minute	1 Minute	Pass		
	Static Strength	≥ 1000 Lbf	1040.7 Lbf	Pass		
ANGL 7250 2 2047	Hold	≥ 1 Minute	1 Minute	Pass		
ANSI Z359.3-2017 4.2.2	Slippage	≤ 3" Slippage	0.3"	Pass		
4.2.2	Static Strength	≥ 5000 Lbf	5029.8 Lbf	Pass		
	Hold	≥ 1 Minute	1 Minute	Pass		



FallTech Testing Laboratory

1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

FallTech Test Report						
Test Report No.	PC-1288	Rpt. Date	9/19/2017	Rpt. Rev	Rev Date	
Report Prepared For	FallTech	,				
Initiated By	Sara Martinez	Test Speci	fication(s)	ANSI Z359.3-201	7: 4.2.2, 4.2.3, 4.2.5	
Part No.	8206	-		Part No. Revisio		
Part Description	Adjustable Restra	aint Lanyard: W	/eb, 4' to 6'	with Snap Hooks		
Test Request No.	PC-1288			Date Complete	9/14/2017	

	Test Summary (Continued)					
Test Specification	Te	st Criteria	Test Result	Pass/Fail		
ANSI Z359.3-2017	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5299.3 Lbf	Pass		
4.2.3	Hold	Remain Suspended for <u>></u> 1 Minutes	1 Minutes	Pass		
ANSI Z359.3-2017	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5340.2 Lbf	Pass		
4.2.3	Hold	Remain Suspended for <u>></u> 1 Minutes	1 Minutes	Pass		
ANSI Z359.3-2017	Dynamic Strength	Peak Impact Load ≥ 3,600 Lbf	5065.3 Lbf	Pass		
4.2.3	Hold	Remain Suspended for <u>></u> 1 Minutes	1 Minutes	Pass		
ANSI Z359.3-2017	Static Strength	≥ 3600 Lbf	3639.4 Lbf	Pass		
4.2.5	Hold	≥1 Minute	1 Minute	Pass		
ANSI Z359.3-2017	Static Strength	≥ 3600 Lbf	4804.0 Lbf	Pass		
4.2.5	Hold	≥1 Minute	1 Minute	Pass		
ANSI Z359.3-2017	Static Strength	≥ 3600 Lbf	3636.8 Lbf	Pass		
4.2.5	Hold	≥1 Minute	1 Minute	Pass		

Conclusion

Based upon the samples provided to the Lab: FallTech P/N 8209 Rev. A meets the requirements of ANSI Z359.3-2017

	Report Signatories and Approval		
Lab Quality Manager	Jay Sponholz	Date	9/19/2017
Witnessed by	Nolan Schatzle	Date	10-2-17