


TOLERANCES	
d_1	+0.000" - .002" (+.000mm - .050mm)
d_2	h6
r	+0.001" - .001" (+.025 - .025mm)
ball radius	+0.000" - .001" (+.000 - .025mm)

HIGH EFFICIENCY MILLING

Series V4S, V4R, V4B



NEW ITEMS


.1562" - .2188"
(3.967mm - 5.558mm)

Recommended for titanium, inconel, and stainless steel

Variable Helix End Mill

AlCrN Coating

- Solid submicron grain carbide end mill - center cutting
- Engineered for High Efficiency Milling
- Helix geometry varies over length of flutes
- Variable flute design helps with chip evacuation in slots and pockets
- Variable rake aids in chip formation
- PCT (Polish Carbide Treatment) enhances tool life
- Minimizes burr on part
- Smaller diameters can be modified with a flat within 48 hours
- The combination of an extended flute length with a weldon flat may cause the flute washout to reach inside some end mill holders*



NEW	EDP#	(plain)	(weldon)	d_1 †		d_2	l_1	l_2	r	l_3	d_3		
				Decimal	Diameter								Metric
NEW	50171	-		.1562	5/32"	3.967	1/4"	2"	1/2"	-	-	-	
NEW	50172	-		.1562	5/32"	3.967	1/4"	2"	1/2"	.010"	-	-	
NEW	50173	-		.1562	5/32"	3.967	1/4"	2"	1/2"	.015"	-	-	
NEW	50174	-		.1562	5/32"	3.967	1/4"	2"	1/2"	.020"	-	-	
NEW	50175	-		.1562	5/32"	3.967	1/4"	2"	1/2"	.030"	-	-	
NEW	50176	-		.1562	5/32"	3.967	1/4"	2"	1/2"	BALL	-	-	
NEW	50177	-		.1575		4.000	6.0	50	12	-	-	-	
NEW	50178	-		.1575		4.000	6.0	50	12	0.20	-	-	
NEW	50179	-		.1575		4.000	6.0	50	12	0.30	-	-	
NEW	50180	-		.1575		4.000	6.0	50	12	0.50	-	-	
NEW	50181	-		.1575		4.000	6.0	50	12	BALL	-	-	
NEW	50182	-		.1875	3/16"	4.763	1/4"	2"	1/2"	-	-	-	
NEW	50183	-		.1875	3/16"	4.763	1/4"	2"	1/2"	.010"	-	-	
NEW	50184	-		.1875	3/16"	4.763	1/4"	2"	1/2"	.015"	-	-	
NEW	50185	-		.1875	3/16"	4.763	1/4"	2"	1/2"	.020"	-	-	
NEW	50186	-		.1875	3/16"	4.763	1/4"	2"	1/2"	.030"	-	-	
NEW	50187	-		.1875	3/16"	4.763	1/4"	2"	1/2"	BALL	-	-	
NEW	50188	-		.1969		5.000	6.0	65	20	-	-	-	
NEW	50189	-		.1969		5.000	6.0	65	20	0.20	-	-	
NEW	50190	-		.1969		5.000	6.0	65	20	0.30	-	-	
NEW	50191	-		.1969		5.000	6.0	65	20	0.50	-	-	
NEW	50192	-		.1969		5.000	6.0	65	20	BALL	-	-	
NEW	50193	-		.2188	7/32"	5.558	1/4"	2-1/2"	3/4"	-	-	-	
NEW	50194	-		.2188	7/32"	5.558	1/4"	2-1/2"	3/4"	.010"	-	-	
NEW	50195	-		.2188	7/32"	5.558	1/4"	2-1/2"	3/4"	.015"	-	-	
NEW	50196	-		.2188	7/32"	5.558	1/4"	2-1/2"	3/4"	.020"	-	-	
NEW	50197	-		.2188	7/32"	5.558	1/4"	2-1/2"	3/4"	.030"	-	-	
NEW	50198	-		.2188	7/32"	5.558	1/4"	2-1/2"	3/4"	BALL	-	-	

HIGH PERFORMANCE
END MILLS

70

35

MATERIAL HARDNESS (Rc)

0

Series V4S, V4R, V4B (continued)

.2362" - .2500"
(6.000mm - 6.350mm)

70
35
0
MATERIAL HARDNESS (Rc)

EDP#		$d1$ † Diameter		$d2$ Shank Diameter	$l1$ Overall Length	$l2$ Flute Length	r Corner Radius	$l3$ Reach Length	$d3$ Neck Diameter
		(plain) Decimal	(weldon) Metric						
50236	-	.2362	6.000	6.0	65	12	-	-	-
50199	-	.2362	6.000	6.0	65	12	0.30	-	-
50200	-	.2362	6.000	6.0	65	12	0.50	-	-
50201	-	.2362	6.000	6.0	65	12	0.75	-	-
50202	-	.2362	6.000	6.0	65	12	1.00	-	-
50203	-	.2362	6.000	6.0	65	12	1.50	-	-
50252	-	.2362	6.000	6.0	65	12	BALL	-	-
50237	-	.2362	6.000	6.0	65	19	-	-	-
50204	-	.2362	6.000	6.0	65	19	0.30	-	-
50205	-	.2362	6.000	6.0	65	19	0.50	-	-
50206	-	.2362	6.000	6.0	65	19	1.00	-	-
50253	-	.2362	6.000	6.0	65	19	BALL	-	-
50540	-	.2500	6.350	1/4"	2"	3/8"	-	-	-
50489	-	.2500	6.350	1/4"	2"	3/8"	.010"	-	-
50490	-	.2500	6.350	1/4"	2"	3/8"	.015"	-	-
50491	-	.2500	6.350	1/4"	2"	3/8"	.020"	-	-
NEW 50708	-	.2500	6.350	1/4"	2"	3/8"	.030"	-	-
NEW 50709	-	.2500	6.350	1/4"	2"	3/8"	.040"	-	-
NEW 50710	-	.2500	6.350	1/4"	2"	3/8"	.060"	-	-
NEW 50711	-	.2500	6.350	1/4"	2"	3/8"	.090"	-	-
50560	-	.2500	6.350	1/4"	2"	3/8"	BALL	-	-
50645	-	.2500	6.350	1/4"	2"	1/2"	-	-	-
50614	-	.2500	6.350	1/4"	2"	1/2"	.010"	-	-
50616	-	.2500	6.350	1/4"	2"	1/2"	.015"	-	-
50618	-	.2500	6.350	1/4"	2"	1/2"	.020"	-	-
NEW 50712	-	.2500	6.350	1/4"	2"	1/2"	.030"	-	-
NEW 50713	-	.2500	6.350	1/4"	2"	1/2"	.040"	-	-
NEW 50714	-	.2500	6.350	1/4"	2"	1/2"	.060"	-	-
NEW 50715	-	.2500	6.350	1/4"	2"	1/2"	.090"	-	-
50238	-	.2500	6.350	1/4"	2-1/2"	3/4"	-	-	-
50207	-	.2500	6.350	1/4"	2-1/2"	3/4"	.010"	-	-
50208	-	.2500	6.350	1/4"	2-1/2"	3/4"	.015"	-	-
50620	-	.2500	6.350	1/4"	2-1/2"	3/4"	.020"	-	-
50209	-	.2500	6.350	1/4"	2-1/2"	3/4"	.030"	-	-
NEW 50716	-	.2500	6.350	1/4"	2-1/2"	3/4"	.040"	-	-
50210	-	.2500	6.350	1/4"	2-1/2"	3/4"	.060"	-	-
NEW 50717	-	.2500	6.350	1/4"	2-1/2"	3/4"	.090"	-	-
50254	-	.2500	6.350	1/4"	2-1/2"	3/4"	BALL	-	-
NEW 50653	-	.2500	6.350	1/4"	3"	1-1/8"	-	-	-
50493	-	.2500	6.350	1/4"	3"	1-1/8"	.030"	-	-
NEW 50677	-	.2500	6.350	1/4"	3"	1-1/8"	BALL	-	-

	EDP#	(plain) (weldon)	$d1$ †		$d2$	$l1$	$l2$	r	$l3$	$d3$	
			Decimal	Diameter							Metric
NEW	50654	-	.2500	1/4"	6.350	1/4"	4"	1-1/2"	-	-	-
NEW	50681	-	.2500	1/4"	6.350	1/4"	4"	1-1/2"	BALL	-	-
NEW	50655	-	.2500	1/4"	6.350	1/4"	4"	1-3/4"	-	-	-
NEW	50718	-	.2500	1/4"	6.350	1/4"	4"	1-3/4"	.020"	-	-
NEW	50682	-	.2500	1/4"	6.350	1/4"	4"	1-3/4"	BALL	-	-
NEW	50656	-	.2500	1/4"	6.350	1/4"	4"	2"	-	-	-
NEW	50683	-	.2500	1/4"	6.350	1/4"	4"	2"	BALL	-	-
NEW	50651	-	.2500	1/4"	6.350	1/4"	3"	3/8"	-	1-1/8"	.237"
NEW	50678	-	.2500	1/4"	6.350	1/4"	3"	3/8"	BALL	1-1/8"	.237"
	50600	-	.2500	1/4"	6.350	1/4"	4"	3/8"	-	1-1/8"	.237"
	50211	-	.2500	1/4"	6.350	1/4"	4"	3/8"	.015"	1-1/4"	.230"
	50474	-	.2500	1/4"	6.350	1/4"	4"	3/8"	BALL	1-1/8"	.237"
NEW	50679	-	.2500	1/4"	6.350	1/4"	4"	3/8"	BALL	1-1/2"	.237"
NEW	50652	-	.2500	1/4"	6.350	1/4"	4"	3/8"	-	2"	.237"
NEW	50680	-	.2500	1/4"	6.350	1/4"	4"	3/8"	BALL	2"	.237"
NEW	50719	-	.2500	1/4"	6.350	1/4"	6"	3/8"	.010"	4"	.230"
NEW	50684	-	.2500	1/4"	6.350	1/4"	6"	3/8"	BALL	4"	.230"
NEW	50720	-	.3125	5/16"	7.937	5/16"	2"	3/8"	.030"	-	-
	50541	-	.3125	5/16"	7.937	5/16"	2"	7/16"	-	-	-
	50622	-	.3125	5/16"	7.937	5/16"	2"	7/16"	.010"	-	-
	50624	-	.3125	5/16"	7.937	5/16"	2"	7/16"	.015"	-	-
	50492	-	.3125	5/16"	7.937	5/16"	2"	7/16"	.020"	-	-
NEW	50721	-	.3125	5/16"	7.937	5/16"	2"	7/16"	.125"	-	-
	50561	-	.3125	5/16"	7.937	5/16"	2"	7/16"	BALL	-	-
	50239	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	-	-	-
	50626	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	.010"	-	-
	50628	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	.015"	-	-
	50212	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	.020"	-	-
	50213	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	.030"	-	-
NEW	50722	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	.060"	-	-
NEW	50723	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	.125"	-	-
	50255	-	.3125	5/16"	7.937	5/16"	2-1/2"	13/16"	BALL	-	-
NEW	50657	-	.3125	5/16"	7.937	5/16"	3"	1-1/4"	-	-	-
NEW	50724	-	.3125	5/16"	7.937	5/16"	3"	1-1/4"	.015"	-	-
NEW	50725	-	.3125	5/16"	7.937	5/16"	3"	1-1/4"	.030"	-	-
NEW	50726	-	.3125	5/16"	7.937	5/16"	3"	1-1/4"	.060"	-	-
NEW	50685	-	.3125	5/16"	7.937	5/16"	3"	1-1/4"	BALL	-	-
NEW	50658	-	.3125	5/16"	7.937	5/16"	3"	7/16"	-	1-1/2"	.295"
NEW	50686	-	.3125	5/16"	7.937	5/16"	3"	7/16"	BALL	1-1/2"	.295"
	50602	-	.3150		8.000	8.0	50	12	-	-	-
	50630	-	.3150		8.000	8.0	50	12	0.50	-	-
	50240	-	.3150		8.000	8.0	65	22	-	-	-
	50214	-	.3150		8.000	8.0	65	22	0.50	-	-
	50356	-	.3150		8.000	8.0	65	22	0.75	-	-
	50215	-	.3150		8.000	8.0	65	22	1.00	-	-
NEW	50727	-	.3150		8.000	8.0	65	22	1.20	-	-
	50357	-	.3150		8.000	8.0	65	22	1.50	-	-
	50358	-	.3150		8.000	8.0	65	22	2.00	-	-
NEW	50728	-	.3150		8.000	8.0	65	22	3.00	-	-
	50256	-	.3150		8.000	8.0	65	22	BALL	-	-

70

35

MATERIAL HARDNESS (Rc)

0

Series V4S, V4R, V4B (continued)

.3150" - .3937"
(8.000mm - 10.000mm)

70
35
0
MATERIAL HARDNESS (Rc)

	EDP#	d_1 † Diameter		d_2 Shank Diameter	l_1 Overall Length	l_2 Flute Length	r Corner Radius	l_3 Reach Length	d_3 Neck Diameter		
		(plain)	(weldon)							Decimal	Metric
NEW	50659	-		.3150	8.000	8.0	75	32	-	-	-
NEW	50687	-		.3150	8.000	8.0	75	32	BALL	-	-
NEW	50660	-		.3150	8.000	8.0	100	12	-	50	7.50
NEW	50688	-		.3150	8.000	8.0	100	12	BALL	50	7.50
	50542	-		.3750	3/8"	9.525	3/8"	2"	1/2"	-	-
	50632	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.010"	-
NEW	50729	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.015"	-
	50494	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.020"	-
	50634	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.030"	-
NEW	50730	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.060"	-
NEW	50732	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.090"	-
NEW	50733	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.120"	-
NEW	50734	-		.3750	3/8"	9.525	3/8"	2"	1/2"	.125"	-
	50562	-		.3750	3/8"	9.525	3/8"	2"	1/2"	BALL	-
	50241	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	-	-
	50216	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.010"	-
NEW	50735	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.015"	-
	50217	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.020"	-
	50218	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.030"	-
NEW	50736	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.040"	-
	50219	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.060"	-
	50636	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.090"	-
NEW	50737	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.120"	-
NEW	50738	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	.125"	-
	50257	-		.3750	3/8"	9.525	3/8"	2-1/2"	1"	BALL	-
NEW	50661	-		.3750	3/8"	9.525	3/8"	3"	1-1/4"	-	-
NEW	50739	-		.3750	3/8"	9.525	3/8"	3"	1-1/4"	.015"	-
	50637	-		.3750	3/8"	9.525	3/8"	3"	1-1/4"	.030"	-
NEW	50740	-		.3750	3/8"	9.525	3/8"	3"	1-1/4"	.060"	-
NEW	50689	-		.3750	3/8"	9.525	3/8"	3"	1-1/4"	BALL	-
NEW	50662	-		.3750	3/8"	9.525	3/8"	4"	1-1/2"	-	-
NEW	50741	-		.3750	3/8"	9.525	3/8"	4"	1-1/2"	.015"	-
NEW	50742	-		.3750	3/8"	9.525	3/8"	4"	1-1/2"	.030"	-
NEW	50743	-		.3750	3/8"	9.525	3/8"	4"	1-1/2"	.060"	-
NEW	50744	-		.3750	3/8"	9.525	3/8"	4"	1-1/2"	.120"	-
NEW	50690	-		.3750	3/8"	9.525	3/8"	4"	1-1/2"	BALL	-
NEW	50745	-		.3750	3/8"	9.525	3/8"	6"	2-1/2"	.060	-
	50604	-		.3750	3/8"	9.525	3/8"	4"	1/2"	-	1-1/8"
	50220	-		.3750	3/8"	9.525	3/8"	4"	1/2"	.020"	1-7/8"
	50476	-		.3750	3/8"	9.525	3/8"	4"	1/2"	BALL	1-1/8"
	50606	-		.3937	10.000	10.0	50	14	-	-	-
	50638	-		.3937	10.000	10.0	50	14	0.50	-	-
	50242	-		.3937	10.000	10.0	70	22	-	-	-
NEW	50746	-		.3937	10.000	10.0	70	22	0.25	-	-
	50221	-		.3937	10.000	10.0	70	22	0.50	-	-
	50359	-		.3937	10.000	10.0	70	22	0.75	-	-
	50360	-		.3937	10.000	10.0	70	22	1.00	-	-
	50361	-		.3937	10.000	10.0	70	22	1.50	-	-
	50362	-		.3937	10.000	10.0	70	22	2.00	-	-
NEW	50747	-		.3937	10.000	10.0	70	22	3.00	-	-
	50258	-		.3937	10.000	10.0	70	22	BALL	-	-
	50608	-		.3937	10.000	10.0	70	26	-	-	-
NEW	50748	-		.3937	10.000	10.0	70	26	1.50	-	-
NEW	50663	-		.3937	10.000	10.0	70	30	-	-	-
NEW	50691	-		.3937	10.000	10.0	70	30	BALL	-	-

Series V4S, V4R, V4B (continued)

.3937" - .5000"
(10.000mm - 12.700mm)

HIGH PERFORMANCE
END MILLS

	EDP#		$d1^{\dagger}$		$d2$ Shank Diameter	$l1$ Overall Length	$l2$ Flute Length	r Corner Radius	$l3$ Reach Length	$d3$ Neck Diameter
	(plain)	(weldon)	Decimal	Metric						
NEW	50749	-	.3937	10.000	10.0	70	22	0.50	30	9.40
NEW	50750	-	.3937	10.000	10.0	100	12	0.30	50	9.40
NEW	50692	-	.3937	10.000	10.0	100	14	BALL	50	9.40
	50450	50449	.4724	12.000	12.0	75	26	-	-	-
	50363	50369	.4724	12.000	12.0	75	26	0.30	-	-
	50364	50370	.4724	12.000	12.0	75	26	0.50	-	-
	50365	50366	.4724	12.000	12.0	75	26	0.75	-	-
	50367	50371	.4724	12.000	12.0	75	26	1.00	-	-
	50372	50373	.4724	12.000	12.0	75	26	1.50	-	-
	50374	50375	.4724	12.000	12.0	75	26	2.00	-	-
	50470	-	.4724	12.000	12.0	75	26	BALL	-	-
	50243	50283	.4724	12.000	12.0	75	32	-	-	-
	50222	50270	.4724	12.000	12.0	75	32	0.50	-	-
	50223	50271	.4724	12.000	12.0	75	32	1.00	-	-
	50259	50291	.4724	12.000	12.0	75	32	BALL	-	-
NEW	50664	-	.4724	12.000	12.0	88	36	-	-	-
NEW	50751	-	.4724	12.000	12.0	88	36	0.30	-	-
NEW	50752	-	.4724	12.000	12.0	88	36	0.50	-	-
NEW	50753	-	.4724	12.000	12.0	88	36	1.00	-	-
NEW	50754	-	.4724	12.000	12.0	88	36	1.50	-	-
NEW	50755	-	.4724	12.000	12.0	88	36	3.00	-	-
NEW	50693	-	.4724	12.000	12.0	88	36	BALL	-	-
	50564	-	.4724	12.000	12.0	100	42	-	-	-
	50566	-	.4724	12.000	12.0	100	42	0.30	-	-
	50568	-	.4724	12.000	12.0	100	42	0.50	-	-
	50570	-	.4724	12.000	12.0	100	42	1.00	-	-
	50572	-	.4724	12.000	12.0	100	42	2.00	-	-
	50574	-	.4724	12.000	12.0	100	42	3.00	-	-
	50576	-	.4724	12.000	12.0	100	42	BALL	-	-
NEW	50665	-	.4724	12.000	12.0	100	48	-	-	-
NEW	50756	-	.4724	12.000	12.0	100	48	0.30	-	-
NEW	50757	-	.4724	12.000	12.0	100	48	0.50	-	-
NEW	50758	-	.4724	12.000	12.0	100	48	1.00	-	-
NEW	50759	-	.4724	12.000	12.0	100	48	1.50	-	-
NEW	50760	-	.4724	12.000	12.0	100	48	3.00	-	-
NEW	50761	-	.4724	12.000	12.0	100	48	4.00	-	-
NEW	50694	-	.4724	12.000	12.0	100	48	BALL	-	-
NEW	50695	-	.4724	12.000	12.0	100	14	BALL	50	11.40
	50543	-	.5000	12.700	1/2"	2-1/2"	5/8"	-	-	-
	50640	-	.5000	12.700	1/2"	2-1/2"	5/8"	.010"	-	-
NEW	50762	-	.5000	12.700	1/2"	2-1/2"	5/8"	.015"	-	-
	50496	50497	.5000	12.700	1/2"	2-1/2"	5/8"	.020"	-	-
	50642	-	.5000	12.700	1/2"	2-1/2"	5/8"	.030"	-	-
NEW	50763	-	.5000	12.700	1/2"	2-1/2"	5/8"	.060"	-	-
NEW	50764	-	.5000	12.700	1/2"	2-1/2"	5/8"	.090"	-	-
NEW	50765	-	.5000	12.700	1/2"	2-1/2"	5/8"	.120"	-	-
	50644	-	.5000	12.700	1/2"	2-1/2"	5/8"	.125"	-	-
NEW	50766	-	.5000	12.700	1/2"	2-1/2"	5/8"	.156"	-	-
NEW	50767	-	.5000	12.700	1/2"	2-1/2"	5/8"	.190"	-	-
	50563	-	.5000	12.700	1/2"	2-1/2"	5/8"	BALL	-	-

70

35

MATERIAL HARDNESS (Rc)

0

Series V4S, V4R, V4B (continued)

.5000"
(12.700mm)

70
35
0
MATERIAL HARDNESS (Rc)

EDP#		d_1 † Diameter		d_2 Shank Diameter	l_1 Overall Length	l_2 Flute Length	r Corner Radius	l_3 Reach Length	d_3 Neck Diameter		
(plain)	(weldon)	Decimal	Metric								
50452	50453	.5000	1/2"	12.700	1/2"	3"	1"	-	-	-	
50379	50380	.5000	1/2"	12.700	1/2"	3"	1"	.010"	-	-	
NEW	50768	-	.5000	1/2"	12.700	1/2"	3"	1"	.015"	-	-
50381	50382	.5000	1/2"	12.700	1/2"	3"	1"	.020"	-	-	
50383	50384	.5000	1/2"	12.700	1/2"	3"	1"	.030"	-	-	
50385	50386	.5000	1/2"	12.700	1/2"	3"	1"	.060"	-	-	
NEW	50769	-	.5000	1/2"	12.700	1/2"	3"	1"	.090"	-	-
NEW	50770	-	.5000	1/2"	12.700	1/2"	3"	1"	.120"	-	-
NEW	50771	-	.5000	1/2"	12.700	1/2"	3"	1"	.125"	-	-
NEW	50772	-	.5000	1/2"	12.700	1/2"	3"	1"	.190"	-	-
50472	50473	.5000	1/2"	12.700	1/2"	3"	1"	BALL	-	-	
50244	50284	.5000	1/2"	12.700	1/2"	3"	1-1/4"	-	-	-	
50224	50272	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.010"	-	-	
NEW	50773	-	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.015"	-	-
50225	50273	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.020"	-	-	
50226	50274	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.030"	-	-	
50227	50275	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.060"	-	-	
NEW	50774	-	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.090"	-	-
NEW	50775	-	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.120"	-	-
NEW	50776	-	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.125"	-	-
NEW	50777	-	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.156"	-	-
NEW	50778	-	.5000	1/2"	12.700	1/2"	3"	1-1/4"	.190"	-	-
50260	50292	.5000	1/2"	12.700	1/2"	3"	1-1/4"	BALL	-	-	
NEW	50666	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	-	-	-
NEW	50779	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.010"	-	-
NEW	50780	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.015"	-	-
NEW	50781	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.020"	-	-
NEW	50782	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.030"	-	-
NEW	50783	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.060"	-	-
NEW	50784	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.090"	-	-
NEW	50785	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	.120"	-	-
NEW	50696	-	.5000	1/2"	12.700	1/2"	3-1/2"	1-1/2"	BALL	-	-
50578	50579	.5000	1/2"	12.700	1/2"	4"	1-5/8"	-	-	-	
50580	50581	.5000	1/2"	12.700	1/2"	4"	1-5/8"	.010"	-	-	
50582	50583	.5000	1/2"	12.700	1/2"	4"	1-5/8"	.020"	-	-	
50584	50585	.5000	1/2"	12.700	1/2"	4"	1-5/8"	.030"	-	-	
50586	50587	.5000	1/2"	12.700	1/2"	4"	1-5/8"	.040"	-	-	
50588	50589	.5000	1/2"	12.700	1/2"	4"	1-5/8"	.060"	-	-	
50590	50591	.5000	1/2"	12.700	1/2"	4"	1-5/8"	.120"	-	-	
50592	50593	.5000	1/2"	12.700	1/2"	4"	1-5/8"	BALL	-	-	
50646	-	.5000	1/2"	12.700	1/2"	4"	1-3/4"	-	-	-	
50647	-	.5000	1/2"	12.700	1/2"	4"	2"	-	-	-	
50245	50285	.5000	1/2"	12.700	1/2"	4"	2-1/8"	-	-	-	
NEW	50786	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.010"	-	-
NEW	50787	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.015"	-	-
NEW	50788	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.020"	-	-
NEW	50789	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.030"	-	-
NEW	50790	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.060"	-	-
NEW	50791	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.090"	-	-
NEW	50792	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.120"	-	-
NEW	50793	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.125"	-	-
NEW	50794	-	.5000	1/2"	12.700	1/2"	4"	2-1/8"	.190"	-	-
50261	50293	.5000	1/2"	12.700	1/2"	4"	2-1/8"	BALL	-	-	

	EDP#		$d1^{\dagger}$		$d2$	$l1$	$l2$	r	$l3$	$d3$	
	(plain)	(weldon)	Decimal	Diameter							Metric
NEW	50668	-	.5000	1/2"	12.700	1/2"	6"	3"	-	-	-
NEW	50795	-	.5000	1/2"	12.700	1/2"	6"	3"	.020"	-	-
NEW	50796	-	.5000	1/2"	12.700	1/2"	6"	3"	.030"	-	-
NEW	50797	-	.5000	1/2"	12.700	1/2"	6"	3"	.060"	-	-
NEW	50798	-	.5000	1/2"	12.700	1/2"	6"	3"	.120"	-	-
NEW	50799	-	.5000	1/2"	12.700	1/2"	6"	3"	.190"	-	-
NEW	50699	-	.5000	1/2"	12.700	1/2"	6"	3"	BALL	-	-
	50610	-	.5000	1/2"	12.700	1/2"	4"	5/8"	-	2-1/4"	.475"
	50228	-	.5000	1/2"	12.700	1/2"	4"	5/8"	.020"	2-1/4"	.470"
NEW	50900	-	.5000	1/2"	12.700	1/2"	4"	5/8"	.030"	2-1/4"	.470"
NEW	50901	-	.5000	1/2"	12.700	1/2"	4"	5/8"	.060"	2-1/4"	.470"
NEW	50902	-	.5000	1/2"	12.700	1/2"	4"	5/8"	.120"	2-1/4"	.470"
	50478	-	.5000	1/2"	12.700	1/2"	4"	5/8"	BALL	2-1/4"	.475"
NEW	50667	-	.5000	1/2"	12.700	1/2"	6"	5/8"	-	3-1/8"	.475"
	50235	-	.5000	1/2"	12.700	1/2"	6"	5/8"	-	4-1/8"	.475"
	50594	-	.5000	1/2"	12.700	1/2"	6"	5/8"	.020"	4-1/8"	.470"
	50596	-	.5000	1/2"	12.700	1/2"	6"	5/8"	.030"	4-1/8"	.470"
NEW	50697	-	.5000	1/2"	12.700	1/2"	6"	5/8"	BALL	3-1/8"	.475"
	50598	-	.5000	1/2"	12.700	1/2"	6"	5/8"	BALL	4-1/8"	.475"
NEW	50698	-	.5000	1/2"	12.700	1/2"	6"	1"	BALL	4-1/2"	.475"
	50545	50546	.6250	5/8"	15.875	5/8"	3"	3/4"	-	-	-
NEW	50903	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.010"	-	-
NEW	50904	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.015"	-	-
	50498	50499	.6250	5/8"	15.875	5/8"	3"	3/4"	.020"	-	-
	50500	50501	.6250	5/8"	15.875	5/8"	3"	3/4"	.030"	-	-
	50502	50503	.6250	5/8"	15.875	5/8"	3"	3/4"	.060"	-	-
NEW	50905	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.090"	-	-
NEW	50906	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.120"	-	-
NEW	50907	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.125"	-	-
NEW	50908	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.156"	-	-
NEW	50909	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.190"	-	-
NEW	50910	-	.6250	5/8"	15.875	5/8"	3"	3/4"	.250"	-	-
	50246	50286	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	-	-	-
NEW	50911	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.010"	-	-
NEW	50912	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.015"	-	-
	50229	50277	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.020"	-	-
	50534	50535	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.030"	-	-
	50536	50537	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.040"	-	-
	50538	50539	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.060"	-	-
NEW	50913	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.090"	-	-
	50230	50278	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.120"	-	-
NEW	50914	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.125"	-	-
NEW	50915	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.156"	-	-
NEW	50916	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.190"	-	-
NEW	50917	-	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	.250"	-	-
	50262	50294	.6250	5/8"	15.875	5/8"	3-1/2"	1-1/4"	BALL	-	-

70

35

MATERIAL HARDNESS (Rc)

0

Series V4S, V4R, V4B (continued)

.6250" - .6299"
(15.875mm - 16.000mm)

	EDP#		$d1$ † Diameter		$d2$ Shank Diameter	$l1$ Overall Length	$l2$ Flute Length	r Corner Radius	$l3$ Reach Length	$d3$ Neck Diameter	
	(plain)	(weldon)	Decimal	Metric							
NEW	50669	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	-	-	-
NEW	50918	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.010"	-	-
NEW	50919	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.015"	-	-
NEW	50920	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.020"	-	-
NEW	50921	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.030"	-	-
NEW	50922	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.060"	-	-
NEW	50923	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.090"	-	-
NEW	50924	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.120"	-	-
NEW	50925	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.125"	-	-
NEW	50926	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.156"	-	-
NEW	50927	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.190"	-	-
NEW	50928	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	.250"	-	-
NEW	50700	-	.6250	5/8"	15.875	5/8"	4"	1-1/2"	BALL	-	-
	50612	-	.6250	5/8"	15.875	5/8"	4"	1-5/8"	-	-	-
NEW	50670	-	.6250	5/8"	15.875	5/8"	4"	1-3/4"	-	-	-
NEW	50701	-	.6250	5/8"	15.875	5/8"	4"	1-3/4"	BALL	-	-
	50547	-	.6299		16.000	16.0	75	19	-	-	-
	50504	-	.6299		16.000	16.0	75	19	0.50	-	-
	50506	-	.6299		16.000	16.0	75	19	1.00	-	-
	50508	-	.6299		16.000	16.0	75	19	3.00	-	-
NEW	50929	-	.6299		16.000	16.0	75	19	4.00	-	-
NEW	50930	-	.6299		16.000	16.0	75	19	5.00	-	-
NEW	50931	-	.6299		16.000	16.0	75	19	6.00	-	-
	50247	50287	.6299		16.000	16.0	88	32	-	-	-
	50231	50279	.6299		16.000	16.0	88	32	0.50	-	-
	50409	50410	.6299		16.000	16.0	88	32	0.75	-	-
	50411	50412	.6299		16.000	16.0	88	32	1.00	-	-
	50413	50414	.6299		16.000	16.0	88	32	1.50	-	-
	50415	50416	.6299		16.000	16.0	88	32	2.00	-	-
NEW	50932	-	.6299		16.000	16.0	88	32	2.50	-	-
	50417	50418	.6299		16.000	16.0	88	32	3.00	-	-
NEW	50933	-	.6299		16.000	16.0	88	32	4.00	-	-
NEW	50934	-	.6299		16.000	16.0	88	32	5.00	-	-
NEW	50935	-	.6299		16.000	16.0	88	32	6.00	-	-
	50263	50295	.6299		16.000	16.0	88	32	BALL	-	-
NEW	50671	-	.6299		16.000	16.0	100	48	-	-	-
NEW	50936	-	.6299		16.000	16.0	100	48	0.50	-	-
NEW	50937	-	.6299		16.000	16.0	100	48	1.00	-	-
NEW	50938	-	.6299		16.000	16.0	100	48	1.50	-	-
NEW	50939	-	.6299		16.000	16.0	100	48	2.00	-	-
NEW	50940	-	.6299		16.000	16.0	100	48	3.00	-	-
NEW	50941	-	.6299		16.000	16.0	100	48	4.00	-	-
NEW	50942	-	.6299		16.000	16.0	100	48	5.00	-	-
NEW	50943	-	.6299		16.000	16.0	100	48	6.00	-	-
NEW	50702	-	.6299		16.000	16.0	100	48	BALL	-	-

70

35

0

	EDP#		$d1$ †		$d2$	$l1$	$l2$	r	$l3$	$d3$	
	(plain)	(weldon)	Decimal	Diameter							Metric
			.7500	3/4"	19.050	3/4"	3"	7/8"	-	-	-
NEW	50548	-	.7500	3/4"	19.050	3/4"	3"	7/8"	.010"	-	-
NEW	50944	-	.7500	3/4"	19.050	3/4"	3"	7/8"	.015"	-	-
NEW	50945	-	.7500	3/4"	19.050	3/4"	3"	7/8"	.020"	-	-
NEW	50946	-	.7500	3/4"	19.050	3/4"	3"	7/8"	.030"	-	-
	50556	-	.7500	3/4"	19.050	3/4"	3"	7/8"	.060"	-	-
NEW	50947	-	.7500	3/4"	19.050	3/4"	3"	7/8"	.120"	-	-
NEW	50948	-	.7500	3/4"	19.050	3/4"	3"	7/8"	-	-	-
	50549	50550	.7500	3/4"	19.050	3/4"	4"	1"	-	-	-
NEW	50949	-	.7500	3/4"	19.050	3/4"	4"	1"	.010"	-	-
NEW	50950	-	.7500	3/4"	19.050	3/4"	4"	1"	.015"	-	-
	50510	50511	.7500	3/4"	19.050	3/4"	4"	1"	.020"	-	-
	50512	50513	.7500	3/4"	19.050	3/4"	4"	1"	.030"	-	-
	50514	50515	.7500	3/4"	19.050	3/4"	4"	1"	.060"	-	-
NEW	50951	-	.7500	3/4"	19.050	3/4"	4"	1"	.090"	-	-
NEW	50952	-	.7500	3/4"	19.050	3/4"	4"	1"	.120"	-	-
NEW	50953	-	.7500	3/4"	19.050	3/4"	4"	1"	.190"	-	-
NEW	50954	-	.7500	3/4"	19.050	3/4"	4"	1"	.250"	-	-
NEW	50955	-	.7500	3/4"	19.050	3/4"	4"	1"	.3125"	-	-
	50248	50288	.7500	3/4"	19.050	3/4"	4"	1-1/2"	-	-	-
NEW	50956	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.010"	-	-
NEW	50957	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.015"	-	-
	50516	50517	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.020"	-	-
	50232	50280	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.030"	-	-
	50518	50519	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.060"	-	-
NEW	50958	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.090"	-	-
	50520	50521	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.120"	-	-
NEW	50959	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.125"	-	-
NEW	50960	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.156"	-	-
NEW	50961	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.190"	-	-
NEW	50962	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.250"	-	-
NEW	50963	-	.7500	3/4"	19.050	3/4"	4"	1-1/2"	.3125"	-	-
	50264	50296	.7500	3/4"	19.050	3/4"	4"	1-1/2"	BALL	-	-
	50551	50552	.7500	3/4"	19.050	3/4"	4"	1-3/4"	-	-	-
NEW	50964	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.010"	-	-
NEW	50965	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.015"	-	-
	50522	50523	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.020"	-	-
	50524	50525	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.030"	-	-
	50526	50527	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.060"	-	-
NEW	50966	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.090"	-	-
NEW	50967	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.120"	-	-
NEW	50968	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.125"	-	-
NEW	50969	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.156"	-	-
NEW	50970	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.190"	-	-
NEW	50971	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.250"	-	-
NEW	50972	-	.7500	3/4"	19.050	3/4"	4"	1-3/4"	.3125"	-	-

70

35

MATERIAL HARDNESS (Rc)

0

Series V4S, V4R, V4B (continued)

.7500" - .7874"
(19.050mm - 20.000mm)

MATERIAL HARDNESS (Rc)

70
35
0

	EDP#		$d1$ † Diameter		$d2$ Shank Diameter	$l1$ Overall Length	$l2$ Flute Length	r Corner Radius	$l3$ Reach Length	$d3$ Neck Diameter	
	(plain)	(weldon)	Decimal	Metric							
	50553	50554	.7500	3/4"	19.050	3/4"	5"	2-1/8"	-	-	-
NEW	50973	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.010"	-	-
NEW	50974	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.015"	-	-
NEW	50975	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.020"	-	-
NEW	50976	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.030"	-	-
NEW	50977	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.060"	-	-
NEW	50978	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.090"	-	-
NEW	50979	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.120"	-	-
NEW	50980	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.125"	-	-
NEW	50981	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.156"	-	-
NEW	50982	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.190"	-	-
NEW	50983	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.250"	-	-
NEW	50984	-	.7500	3/4"	19.050	3/4"	5"	2-1/8"	.3125"	-	-
NEW	50672	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	-	-	-
NEW	50985	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.010"	-	-
NEW	50986	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.015"	-	-
NEW	50987	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.020"	-	-
NEW	50988	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.030"	-	-
NEW	50989	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.060"	-	-
NEW	50990	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.090"	-	-
NEW	50991	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.120"	-	-
NEW	50992	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.125"	-	-
NEW	50993	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.156"	-	-
NEW	50994	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.190"	-	-
NEW	50995	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.250"	-	-
NEW	50996	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	.3125"	-	-
NEW	50703	-	.7500	3/4"	19.050	3/4"	5"	2-1/2"	BALL	-	-
	50555	-	.7874		20.000	20.0	100	25	-	-	-
	50249	50289	.7874		20.000	20.0	100	38	-	-	-
NEW	50997	-	.7874		20.000	20.0	100	38	0.50	-	-
	50528	-	.7874		20.000	20.0	100	38	1.00	-	-
NEW	50530	-	.7874		20.000	20.0	100	38	2.00	-	-
NEW	50998	-	.7874		20.000	20.0	100	38	2.50	-	-
	50532	-	.7874		20.000	20.0	100	38	3.00	-	-
NEW	50999	-	.7874		20.000	20.0	100	38	4.00	-	-
NEW	50121	-	.7874		20.000	20.0	100	38	5.00	-	-
NEW	50122	-	.7874		20.000	20.0	100	38	6.00	-	-
NEW	50123	-	.7874		20.000	20.0	100	38	8.00	-	-
	50265	50297	.7874		20.000	20.0	100	38	BALL	-	-
NEW	50673	-	.7874		20.000	20.0	100	48	-	-	-
NEW	50124	-	.7874		20.000	20.0	100	48	0.50	-	-
NEW	50125	-	.7874		20.000	20.0	100	48	1.00	-	-
NEW	50126	-	.7874		20.000	20.0	100	48	1.50	-	-
NEW	50127	-	.7874		20.000	20.0	100	48	2.00	-	-
NEW	50128	-	.7874		20.000	20.0	100	48	2.50	-	-
NEW	50129	-	.7874		20.000	20.0	100	48	3.00	-	-
NEW	50131	-	.7874		20.000	20.0	100	48	4.00	-	-
NEW	50132	-	.7874		20.000	20.0	100	48	5.00	-	-
NEW	50133	-	.7874		20.000	20.0	100	48	6.00	-	-
NEW	50134	-	.7874		20.000	20.0	100	48	8.00	-	-
NEW	50704	-	.7874		20.000	20.0	100	48	BALL	-	-

Series V4S, V4R, V4B (continued)

.7874" - 1.000"
(20.000mm - 25.400mm)

HIGH PERFORMANCE
END MILLS

	EDP#		$d1^{\dagger}$		$d2$	$l1$	$l2$	r	$l3$	$d3$
	(plain)	(weldon)	Decimal	Metric						
NEW	50674	-	.7874	20.000	20.0	150	60	-	-	-
NEW	50135	-	.7874	20.000	20.0	150	60	0.50	-	-
NEW	50136	-	.7874	20.000	20.0	150	60	1.00	-	-
NEW	50137	-	.7874	20.000	20.0	150	60	3.00	-	-
NEW	50138	-	.7874	20.000	20.0	150	60	6.00	-	-
NEW	50705	-	.7874	20.000	20.0	150	60	BALL	-	-
	50250	50290	1.000	1"	25.400	1"	4"	1-1/2"	-	-
NEW	50139	-	1.000	1"	25.400	1"	4"	1-1/2"	.020"	-
	50233	50281	1.000	1"	25.400	1"	4"	1-1/2"	.030"	-
NEW	50141	-	1.000	1"	25.400	1"	4"	1-1/2"	.060"	-
NEW	50142	-	1.000	1"	25.400	1"	4"	1-1/2"	.090"	-
NEW	50143	-	1.000	1"	25.400	1"	4"	1-1/2"	.120"	-
	50557	-	1.000	1"	25.400	1"	4"	1-1/2"	.125"	-
NEW	50144	-	1.000	1"	25.400	1"	4"	1-1/2"	.156"	-
NEW	50145	-	1.000	1"	25.400	1"	4"	1-1/2"	.190"	-
NEW	50146	-	1.000	1"	25.400	1"	4"	1-1/2"	.250"	-
NEW	50147	-	1.000	1"	25.400	1"	4"	1-1/2"	.3125"	-
NEW	50148	-	1.000	1"	25.400	1"	4"	1-1/2"	.375"	-
	50266	50298	1.000	1"	25.400	1"	4"	1-1/2"	BALL	-
NEW	50675	-	1.000	1"	25.400	1"	4-1/2"	2"	-	-
NEW	50149	-	1.000	1"	25.400	1"	4-1/2"	2"	.020"	-
NEW	50151	-	1.000	1"	25.400	1"	4-1/2"	2"	.030"	-
NEW	50152	-	1.000	1"	25.400	1"	4-1/2"	2"	.060"	-
NEW	50153	-	1.000	1"	25.400	1"	4-1/2"	2"	.090"	-
NEW	50154	-	1.000	1"	25.400	1"	4-1/2"	2"	.120"	-
NEW	50155	-	1.000	1"	25.400	1"	4-1/2"	2"	.156"	-
NEW	50156	-	1.000	1"	25.400	1"	4-1/2"	2"	.190"	-
NEW	50157	-	1.000	1"	25.400	1"	4-1/2"	2"	.250"	-
NEW	50158	-	1.000	1"	25.400	1"	4-1/2"	2"	.3125"	-
NEW	50706	-	1.000	1"	25.400	1"	4-1/2"	2"	BALL	-
	50234	50282	1.000	1"	25.400	1"	5"	2-1/8"	.030"	-
NEW	50676	-	1.000	1"	25.400	1"	5"	2-1/2"	-	-
NEW	50159	-	1.000	1"	25.400	1"	5"	2-1/2"	.020"	-
NEW	50161	-	1.000	1"	25.400	1"	5"	2-1/2"	.030"	-
NEW	50162	-	1.000	1"	25.400	1"	5"	2-1/2"	.060"	-
NEW	50163	-	1.000	1"	25.400	1"	5"	2-1/2"	.090"	-
NEW	50164	-	1.000	1"	25.400	1"	5"	2-1/2"	.120"	-
NEW	50165	-	1.000	1"	25.400	1"	5"	2-1/2"	.156"	-
NEW	50166	-	1.000	1"	25.400	1"	5"	2-1/2"	.190"	-
NEW	50167	-	1.000	1"	25.400	1"	5"	2-1/2"	.250"	-
NEW	50168	-	1.000	1"	25.400	1"	5"	2-1/2"	.3125"	-
NEW	50707	-	1.000	1"	25.400	1"	5"	2-1/2"	BALL	-

70

35

MATERIAL HARDNESS (Rc)

0